

Ladder Weights & Specifications

STANDARD LADDERS (12" wide rung)

Size	Part Number*	Weight (lbs)	Folded Dimensions	Open Dimensions
6 foot	QSR006	16	23.5" x 13" x 1.8"	15" x 3.25" x 72"
8 foot	QSR008	21	23.5" x 13" x 2.3"	15" x 3.25" x 96"
10 foot	QSR010	26	23.5" x 13" x 2.9"	15" x 3.25" x 120"
12 foot	QSR012	31	23.5" x 13" x 3.5"	15" x 3.25" x 144"

ASSAULT LADDERS (18" wide rung)

Size	Part Number*	Weight (lbs)	Folded Dimensions	Open Dimensions
6 foot	QAR006	17	29.5" x 13" x 1.8"	21" x 3.25" x 72"
8 foot	QAR008	22.5	29.5" x 13" x 2.3"	21" x 3.25" x 96"
10 foot	QAR010	28	29.5" x 13" x 2.9"	21" x 3.25" x 120"
12 foot	QAR012	33.5	29.5" x 13" x 3.5"	21" x 3.25" x 144"

*For black powder coated ladders, replace the "R" with a "B"

QUIKSTEP™ ladders can also be special ordered in 6-inch wide rung width.

Testing

The QUIKSTEP™ ladder has been independently tested to meet all weight and strength tests to the following standards:

Standard	Grade	Duty Rating
OSHA/ANSI A14.2-2000	Grade 1A (Extra Heavy Duty)	300 lbs
NFPA 1931 - 1999 edition	Folding ladders	300 lbs
CAN-3-Z11-M81	Grade 1 (Heavy Duty)	250 lbs
BS 2037: 1994 British Standard for Portable Aluminum Ladders	Class 1 Industrial	130 kg
EN131: part 2: 1993 "Ladders - Requirements, Testing, Marking" for Portable Ladders by the European Committee for Standardization (CEN)	Full pass on all ladders	

The Owners Manual should be consulted prior to use. The QUIKSTEP™ ladder is not to be used as a bridge (horizontal position). Only one person should be on the ladder at a time. QUIKSTEP™ ladders come with a one-year limited warranty.



PROTECH™
T A C T I C A L

Customer Service: 800-347-1200 or 909-923-7300 • www.foldableladders.com

*It's the "QUIK" answer to the
tight spaces question*



QUIKSTEP™
ladder



Confined spaces pose a special problem.

First Responders don't always have room for a traditional ladder.


QUIKSTEP™
ladder

In tight spaces, the foldable, compact QUIKSTEP™ ladder provides the ultimate in speed and portability. Fire, Rescue and EMS personnel will find the QUIKSTEP™ ladder strong, reliable and portable. It takes up less space than a traditional ladder and can be stored almost anywhere. Carried like a briefcase, on a backpack or with the shoulder strap, the QUIKSTEP™ ladder is lightweight, compact and most importantly, quick to deploy for emergency access to attics, first and second story windows and in confined spaces. The QUIKSTEP™ ladder is indispensable for inspections and investigators.

Features


Versatile

The QUIKSTEP™ ladders come in 6-foot, 8-foot, 10-foot and 12-foot lengths with either unpainted aluminum or black powder coated finishes. Standard rung width is 12-inches. Assault rung width is 18-inches.



Compact

QUIKSTEP™ is extremely compact relative to the operational length of the ladder. It folds into briefcase size for easy storage.



Lightweight

The 10-foot QUIKSTEP™ ladder weighs only 26-pounds.



“QUIK” to Deploy

QUIKSTEP™ can be unfolded and ready for use in less than 5 seconds.



The QUIKSTEP™ Ladder System improves the effectiveness of Fire and Rescue personnel.

Accessories

From swivel hooks to carry bags and backpacks, QUIKSTEP™ foldable ladders have a number of accessories to enhance your department's operational capabilities.

Swivel Hooks

Placed in any of three different positions – stored, standoff and hanging – this accessory provides more versatility. Swivel hooks are constructed of 3/4 inch steel rods and weight a total of 5 pounds (2.3 kg).



- **Improved Storage Capabilities**
Unlike standard roof hooks, the Swivel Hooks are quickly rotated to fit into the footprint of the folded ladder.
- **Additional Stand-off**
Swivel Hooks can be used to provide an additional three-inch standoff at the top of the ladder for normal uses.
- **Improved Functionality**
Swivel Hooks in the deployed position extend the reach of the ladder.

Backpack Harness

Leave your hands and arms free for other tasks – three quick release buckles with adjustable straps hold the QUIKSTEP™ ladder securely to the Backpack Harness and allow for rapid removal. The user does not have to remove the backpack to accomplish this.



Shoulder Strap

The shoulder strap features two-inch, high density nylon webbing and a fully adjustable metal slider for hands free maneuverability and comfort.

Carry Bag

Comes in black or safety orange and is the ideal accessory for your folding ladder.



Also Available

Web Ladder

Lightweight and strong, the web ladder offers speed, “climb ability” and is available in 15-foot and 25-foot lengths. Two widths are available – single rung and double rung. Both feature an 8-inch, semi-rigid rung which includes a 1/2 inch diameter aluminum rod sewn in to keep the rung from collapsing around the climber's foot.

